

---

# Environmental Contamination during Influenza A Virus (H5N1) Outbreaks, Cambodia, 2006

Sirenda Vong,\* Sowath Ly,\* Sek Mardy,\*  
Davun Holl,† and Philippe Buchy\*

To determine potential risk for bird-to-human transmission during influenza A virus (H5N1) outbreaks among backyard poultry in rural Cambodia, we collected environmental specimens. Viral RNA was detected in 27 (35%) of 77 specimens of mud, pond water, water plants, and soil swabs. Our results underscore the need for regular disinfection of poultry areas.

---

By June 19, 2007, the current epizootic of influenza A virus (H5N1) had caused 317 human cases in 12 countries, including 7 patients in Cambodia, all of whom died (1). Direct contact between infected bird secretions and human respiratory mucosa is thought to play a major role in poultry-to-human transmission (2). The role of indirect contact in virus transmission remains poorly understood. A few studies have suggested that some avian influenza viruses can be maintained in water fowl populations by waterborne transmission (3). Moreover, experimental studies have shown many types of avian influenza viruses could persist for a few months in cold waters or up to 8 days in feces at 22°C (4). However, results obtained with various subtypes of influenza A virus may not apply to the current H5N1 subtype. Further, data are lacking regarding the survival of subtype H5N1 in natural settings and conditions. As an exploratory step, we have introduced environmental sampling during responses to influenza (H5N1) outbreaks. This report summarizes the results of the environmental investigations conducted in 3 villages with influenza virus (H5N1)-associated outbreaks in Kampong Cham and Prey Veng provinces, Cambodia, February–August 2006.

## The Study

Cambodia is tropical and remains hot (24°–38°C) all year with a rainy (May–October) and a dry (November–April) season. In response to notification of a confirmed

\*Institut Pasteur in Cambodia, Phnom Penh, Cambodia; and †National Veterinary Research Institute, Phnom Penh

DOI: 10.3201/eid1408.070912

case of influenza subtype H5N1 infection in humans or poultry, we surveyed all households located within a 1-km radius of the outbreak site. We gathered data on proportion of deaths in poultry flocks and on interaction with other species by conducting interviews. We also collected corresponding environmental specimens in some households and their surroundings, selected by proximity to the index household. We swabbed surfaces and collected materials by using 10-mL sterile flasks in the areas where poultry were reported to be free ranging. Swabs were placed in 1.5-mL virus transport medium; all environmental samples were transported at 4°C within 36 hours to Institut Pasteur in Cambodia for subtype H5N1 testing by real-time reverse transcription–PCR (rRT-PCR) after RNA extraction by using a viral RNA kit (QIAamp, QIAGEN, Valencia, CA, USA) and for virus isolation after inoculation onto MDCK cells. From each household's flock, we collected sick poultry and carcasses for subtype H5N1 virus testing, sampled 10 randomly selected ducks, and bled and swabbed cloacae and tracheas. Swab specimens were tested by hemagglutination after egg inoculation; positive samples were confirmed by rRT-PCR, and serum samples were tested by hemagglutination-inhibition assay with H5 antigens provided by the World Animal Health Reference Laboratory (Weybridge, UK). An influenza (H5N1)-associated household was defined as a household or a village poultry farm where 1) an influenza (H5N1)-infected patient resided, 2) influenza (H5N1) was identified in poultry, or 3) duck serum specimens were positive by hemagglutination-inhibition test for anti-influenza (H5N1) antibodies (5). Of note, none of the poultry owners who were interviewed reported having been vaccinated against "bird flu" (data not shown).

We collected a total of 167 environmental samples collected in 43 households; of 77 samples collected in 14 household areas, 27 (35%) were found positive for subtype H5N1 by rRT-PCR. Of these 14, the median positivity rate per household was 50% (range 9%–100%). Viral RNA was frequently detected in poultry feces (50%), soil swab specimens (50%), water plants in households' ponds (50%), swabs collected from feathers of recently dead poultry (50%), followed by results from mud collection (29%) (online Appendix Table 1, available from [www.cdc.gov/EID/content/14/8/1303-appT1.htm](http://www.cdc.gov/EID/content/14/8/1303-appT1.htm)). The subtype H5N1 genome was similarly identified in moist and dry surfaces (38% vs. 57%,  $p = 0.41$ ). Viral loads were highest in contaminated mud (mean 94,000 copies). However, no viruses were subsequently isolated from the positive environmental specimens after 5 passages on MDCK cells.

All initially surveyed households owned chickens (5%), ducks (31%), or both (64%), although most poultry flocks were small (median 20, range 1–60 for chickens median 141, range 2–1,600 for ducks). All poultry were

free ranging, and mixing between chickens and ducks was common. Deaths had occurred in the previous 3 months among 29 (67%) of the 43 households' flocks, although the flock mortality rate had a wide range (30%–100%). Of the 14 influenza (H5N1)–associated household areas, 4 had no evidence of influenza (H5N1) infection in poultry flocks, including household 12 in which no poultry died (online Appendix Table 2, available from [www.cdc.gov/EID/content/14/8/1303-appT2.htm](http://www.cdc.gov/EID/content/14/8/1303-appT2.htm)).

No association was found between positive environmental results and flock deaths or subtype H5N1–infected flocks. Of the 29 households at which poultry died, the median interval between the sampling date and death of the last bird was shorter among the 10 households for which environmental samples were positive (median days 0.5 vs. 16,  $p = 0.005$ ) compared with 19 households with environmental samples with negative results. In addition, viral RNA was found to be detectable in the environment up to 12 days after the end of the flock outbreak. This RNA was present in soil beneath poultry cages with a viral load of 11,000 copies.

## Conclusions

Our findings demonstrate that viral RNA was frequently present on various environmental surfaces or materials in the influenza (H5N1)–associated households and their surroundings. The presence of viral genome in water and feces supports R. Webster's finding (R. Webster, unpub. data) that the viruses could remain detectable in water and wet feces up to 4–6 days at 37°C (6). In addition, using regular techniques, we detected viral RNA in small volumes of unconcentrated water and in pond water plants, which suggests that levels of influenza A virus (H5N1) in these contaminated waters might have been relatively high (6). Notably, mud collection and dry soil swabbing have been efficient in detecting viral RNA in a contaminated environment. Nonetheless, the presence of RNA does not necessarily imply that the virus is alive or that transmission can occur; in addition, we were unable to isolate the virus by culture. This lack of culture growth may be related to a number of factors, including the fact that viruses could be short lived, whereas the decay of subtype H5N1 RNA may have been sufficiently slow to enable detection by rRT-PCR. Also, a live virus adsorbed on soil microparticles may have prevented viral binding onto MDCK cells, or these inoculated cell lines may have been damaged by bacteria or fungi present in the environmental specimens (7).

We used the interval between the last dead bird and the sample collection dates as a potential reflection of the survival of the virus in a natural setting. However, this interval may be subject to some limitations. First, we were not able

to prove that infectious viruses were recovered after this interval. Second, these viruses could have been shed by duck survivors a long time after the end of the outbreak. Finally, interpretations were difficult because our analyses were limited by the modest number of flocks studied. Notably, however, an interval of 12 days was reported in 1 household, although none of the remaining birds was infected or had markers of influenza (H5N1) infection; this suggests that the virus was shed by the last dead birds infected and detected 12 days later.

Bird-to-human transmission is believed to occur largely through direct contact between infected bird secretions and human respiratory mucosa by inhalation of infectious droplets or transfer with contaminated hands to the upper respiratory tract through the nose, mouth, or conjunctival mucosa; subtype H5N1 has been understood to replicate primarily in the human respiratory tract (7–9). However, additional evidence suggests that influenza virus (H5N1) also replicates in the gastrointestinal tract, which indicates that ingestion of contaminated food (e.g., drinking duck blood) or water is not a negligible source of transmission (6,10–12). Most rural Cambodian households possess small ponds ( $\approx 10$ –20 m<sup>2</sup>), which serve as water reservoirs for backyard animals and gardens. Ducks gather and deposit large amounts of feces in these ponds, while at the same time children commonly bath and play in them. Taken together, widespread dissemination of the virus in a subtype H5N1–infected household and high interaction between humans and poultry, the birds' environment may be particularly worrisome (13). On the other hand, current strains of subtype H5N1 may not yet easily be transmitted from poultry to humans; however, this transmission could increase as the virus continues to circulate and evolve (3,14). In addition to illustrating the need for good poultry-handling practices, our results underscore the importance of the following for preventing disease transmission: general basic hygiene, fencing domestic birds, and regular environmental disinfection of poultry places (3,15).

## Acknowledgments

We thank the Ministry of Health staff who were responsible for human case investigation and the Ministry of Agriculture staff who conducted the retrospective mortality survey of poultry.


Financial support for the environmental investigation was provided by the World Health Organization, Geneva, Switzerland, and the Institut Pasteur in Cambodia, Phnom Penh, Cambodia.

Dr Vong heads the Epidemiology and Public Health Unit at the Institut Pasteur in Cambodia. His research interest focuses on the epidemiology of emerging and reemerging infectious diseases, especially dengue, avian influenza, and rabies.

## References

- World Health Organization. Cumulative number of confirmed human cases of avian influenza A(H5N1) [cited 2007 Jun 29]. Available from [http://www.who.int/csr/disease/avian\\_influenza/country/cases\\_table\\_2007\\_06\\_29/en/index.html](http://www.who.int/csr/disease/avian_influenza/country/cases_table_2007_06_29/en/index.html)
- Brankston G, Gitterman L, Hirji Z, Lemieux C, Gardam M. Transmission of influenza A in human beings [review]. *Lancet Infect Dis*. 2007;7:257–65. DOI: 10.1016/S1473-3099(07)70029-4
- Ito T, Okazaki K, Kawaoka Y, Takada A, Webster RG, Kida H. Perpetuation of influenza A viruses in Alaskan waterfowl reservoirs. *Arch Virol*. 1995;140:1163–72. DOI: 10.1007/BF01322743
- Stallknecht DE, Shane SM, Kearney MT, Zwank PJ. Persistence of avian influenza viruses in water. *Avian Dis*. 1990;34:406–11. DOI: 10.2307/1591428
- Vong S, Coghlan B, Mardy S, Holl D, Seng H, Ly S, et al. Low frequency of poultry-to-human H5N1 virus transmission, southern Cambodia, 2005. *Emerg Infect Dis*. 2006;12:1542–7.
- World Health Organization. Laboratory study of H5N1 viruses in domestic ducks: main findings. 2004 Oct 29 [cited 2008 Jun 30]. Available from [http://www.who.int/csr/disease/avian\\_influenza/labstudy\\_2004\\_10\\_29/en](http://www.who.int/csr/disease/avian_influenza/labstudy_2004_10_29/en)
- Khalenkov A, Laver WG, Webster RG. Detection and isolation of H5N1 influenza virus from large volumes of natural water. *J Virol Methods*. 2008;149:180–3. DOI: 10.1016/j.jviromet.2008.01.001
- Hayden F, Croisier A. Transmission of avian influenza viruses to and between humans. *J Infect Dis*. 2005;192:1311–4. DOI: 10.1086/444399
- Nicholls JM, Chan MC, Chan WY, Wong HK, Cheung CY, Kwong DL, et al. Tropism of avian influenza A (H5N1) in the upper and lower respiratory tract. *Nat Med*. 2007;13:147–9. DOI: 10.1038/nm1529
- Uiprasertkul M, Puthavathana P, Sangsiriwut K, Pooruk P, Srisook K, Peiris M, et al. Influenza A H5N1 replication sites in humans. *Emerg Infect Dis*. 2005;11:1036–41.
- Beigel JH, Farrar J, Han AM, Hayden FG, Hyer R, de Jong MD, et al. The Writing Committee of the World Health Organization (WHO) Consultation on Human Influenza A/H5. Avian influenza A (H5N1) infection in humans. *N Engl J Med*. 2005;353:1374–85. DOI: 10.1056/NEJMra052211
- de Jong MD, Bach VC, Phan TQ, Vo MH, Tran TT, Nguyen BH, et al. Fatal avian influenza A (H5N1) in a child presenting with diarrhea followed by coma. *N Engl J Med*. 2005;352:686–91. DOI: 10.1056/NEJMoa044307
- Ly S, Van Kerkhove MD, Holl D, Froehlich Y, Vong S. Interaction between humans and poultry, rural Cambodia. *Emerg Infect Dis*. 2007;13:130–2.
- Apisarnthanarak A, Mundy LM. Influenza outbreak among health care workers in an avian influenza (H5N1)-endemic setting. *Clin Infect Dis*. 2006;43:1493–4. DOI: 10.1086/508885
- World Health Organization, Western Pacific Region. World Health Organization interim recommendations for the protection of persons involved in the mass slaughter of animals potentially infected with highly pathogenic avian influenza viruses [2004 Jan 26]. Available from [http://www.wpro.who.int/NR/ronlyres/7693BAF7-13E7-42DB-B92B-004CF5D517E7/0/WHOinterim\\_recommendation26012004.pdf](http://www.wpro.who.int/NR/ronlyres/7693BAF7-13E7-42DB-B92B-004CF5D517E7/0/WHOinterim_recommendation26012004.pdf)

Address for correspondence: Sirenda Vong, Chief, Epidemiology Unit, Institut Pasteur in Cambodia, 5 Bld Monivong, POB 983, Phenom Penh, Cambodia; email: [svong@pasteur-kh.org](mailto:svong@pasteur-kh.org)



Search  
past Issues

**EID**  
Online  
[www.cdc.gov/eid](http://www.cdc.gov/eid)

Appendix Table 1. Influenza A virus (H5N1) detection in environmental specimens collected in 3 villages of Kampong Cham and Prey Veng provinces, Cambodia, February–August 2006

Specimen source	Wet or dry specimen	Out or in household yards	Environmental specimens		Viral load, copies		
			Total	No. (%) positive*	Mean	Maximum	Minimum
Wet feces	Wet	In	4	2 (50)	2,300	2,300	2,300
Water							
Pond water	Wet	In	1	0			
Poultry ranging place in wetlands	Wet	Out	3	1 (33)	16,000	16,000	
Pond water plants	Wet	In	2	1 (50)	16,000	16,000	
Mud							
Poultry ranging place in wetlands	Wet	Out	7	1 (14)	510,000	510,000	
Mud beneath animal cages (poultry, pigs)	Wet	In	4	2 (50)	880	1,000	760
Mud by the lake shore	Wet	Out	1	1 (100)	45,000	45,000	
Mud from ponds	Wet	In	19	4 (21)	5,150	8,700	1,600
Mud in household's yard	Wet	In	3	1 (33)	1,700	1,700	
Dry soil in household yard	Dry	In	1	1 (100)	1,800	1,800	
Soil swab							
Beneath houses on stilts	Dry	In	7	3 (43)	4,350	7,300	1,400
Poultry places	Dry	In	7	5 (71)	10,500	20,000	1,000
Pig places	Dry	In	4	0			
Poultry ranging place in wetlands	Wet	Out	4	2 (50)	7,700	8,000	7,400
Surface swab							
Feathers of dead poultry	Dry	In	6	3 (50)	48,000	85,000	11,000
Chicken and pig cages	Dry	In	2	0			
House wall	Dry	In	1	0			
Rice straw stock	Dry	In	1	0			
<b>Total</b>			<b>77</b>	<b>27</b>			

\*Specimens tested positive by reverse transcription–PCR; of these, no virus was isolated.

Äœ¼íx orÇø ï;ÖÖ<F½HÝÕ'ââßk™XÈ□□À#°□á°□; , ^"□, È/□ □üö40,,žf÷oh<{sóãĭŎéâ†□ÿóéóÿÁÆû-  
7ßƐè%¹□ü□ÿûÛ>ÓŸXFc□□ùéÉ  
ËD|ÿ&Z□î^í`ÔÄ^□'E&çìß'on¼,ýÉùŽMÌ□ÿûÍ™OJ/[ĭcëmlÝÇÖWç;2qÉ

»ýë™²%\*%nOç;1í,)yüäl/É□ÀèíÓÈøel½Nì^□™g•³“øã”~<□íπ9ÓìöWéÇ·±ç<ôc&pcπ'E%çog;ÆÊh□V@íøÉ™□Iì2ÿí»È'□Áû³~"\":S÷á|''A  
„^HüËmèùË³œ

□FᐅŠÈó»ø [□€ζα□G&æ¼pU□%üüLì\$μR·İ¼□"0□èBè`9%ôöÝùÿžüú†h6□¥ìLyrogÆÛÈ□\*2½]□-£-Æ÷b°□7

□1Ú\*O, Aã□ÛQND2V"øà'□□ P1;ÂÝvç3spü•40@q´-□ãÉ\_□  
>8#°|;ðd"OÑĚLP°æì¤-YÔpP□Áûkn□+1□i@Ù¼ää□/³□óÓC™%h□|Çb□ç|wQÝ<ôc□\$βx´ÑFi«"p³ÓMzW,í/K□ü3ï.ÊËÿå‘Er□ds/zçR(‘  
³<□□βÆÖ}le□ÿ□ÌMóöyìùC□Öt...ÿ>Xž□+’--%-βÄWNá□+P»\$1>DÉ°iP|□-;□->[ä×îfP1Éi□Ó□™(‡;ú³□<  
-Ã½; <□îwÛ±□G\_\*«<ÃíØüi□□R|ù2PÛ□E>½\$âØÛap{ \$|Xö±0grT



CúP4□Æžs ; %qâZ

7'1žÝ °"0ŽčHSà\*□

- zXMè5æ9YAÁÐz-™æAP^}óì@P¥f22074Ä  
8q) ü

{sc-zòÿ[

r f RHO2w\*Ž [râr x 1 ÉěÑE?+; ÕÕ=KòÖ`rPO@x<2Â^I\$ùÅ“>?P ÓW7f|vFY°p/sÿ Í%âß÷ÿo^dôç+vòtÑ%pÂ==¬?amÔ^@mp

!- {p¼' f< \$C□eiÚÁr;Æ.È`FiÉ°è"iðç' e□>s¼-  
ÃöĐi@□□@>□ÿ□\* &¼ìÿTÈÎ□f^|/L+□ÇulyOéó+õäž, é [□h□□F□¹7·ýEØTs2´Çé)×6E...«póùžò%Ùl, È--²@-¥□ÈÀà  
!#B□ÈyĐÎ□"+k#%x-□was=ú^>~pä, Û:nTs7□□ãÆiâDr□·Bÿíd;nØR- {È□-uÛ□™FÊ'óü□ði&ìääõª□¼], ...bçâ□, ±d□□î\_fÛ□...âZ°ŠûL!"±□Öo  
oEŠ□bÔ|z"ý`Eœ×7d-  
lÕŸY^B¼°ùóém"WoPX&äÄWXÿÇ£`aU°□(ÝZÛBðÎI6"·□□RjEÑ+□é4hãp4MIààdž@ü»~□'«|â"ÄE±»+ÿq¼ã"Ÿr·ð¥6 [äF^dì«ió; äžåânÊÅÒL  
üÑÛ^hÛ^p;sr'□óEú.□□bÛüŠÿk#%ÿSóªm»ðÌ`Í"Ám,,SëdbÄ□□6Üá¼ü-□VÉH¼ÒÈ-Rv~í□«ŸA□v

'Æ□□□\aLÉMyjo«½□ÄPÖTfÊîu-È~L«BÍ\□o¼ß. {R} | Ê9Ü□ÜÔâúm×Ô6□¥Í™×·ßhVÈ©,É2&iÁX5s<=² ìM2q) c'1qN  
=x5/<=²¼îf) □□†Í;2

ãe□GœÁ^±\|f-IŠ

IŠK<sup>-2</sup>ādV“L=□iUø+iñàM!<sup>3</sup>Â°¿?'=□□fò>éU□ÝwÕSÅ\$F□đý™öì□¥ü\*arSb□□Ø<+ÆÄ□□ì°□□-□†m□š5S^ž□S□ç@%-  
□•, ç¥ên<sup>a</sup>#ØĐÆÚ`□Ô%ÙN-<“c'Â□B



Ŧ¹ïa□□«ö x□ÖE□7^nh□nhÄÈïððføqîZ□'□4ØÀÓZ□□□+œÉÇµI%©Ç\$9\$Àò#™\$©U±Nr1â"ŦË□Øcf&□=ª□ O@W#<¹^Š□rµ

□äZ□□ÈÛ°□å□vÁ]□H@...Q W+□H@•-<^3□d]



Ärx×žÄÄ', -%t♣ñÈ'òx²-Ç#GG"□□. a-bnÓáÖ·□ÙÑ·

>cýÛÊÛì&Ëö üFsÆã7ñÁi;î@ið~ßßÒNCvN'ó("èRmûùíÁ...Ó!o¶-½qžÀIL5Å×[ÛJ]ì³`ÛŠVG0-□R<-³Ðy¹□\`joMRi□□  
øF7×-€cÀ ,v□□FSå,¼™Ñ¥ßîö%7",r\$`a{H□□h□□yÝ€iÔX³+ê`~R8`3XmÄ'¥VíAX...æEÇ\*□lL-□“,ê•¥åñ|dy

Ú,öžÆ%;2æ2â0ežöÑ5-%Ñ  
g<sup>1</sup>sKc

'„Üi

Ó7q  
^¼åu" (d&² !us...0Ù  
PÀ0



Q\;@Ã'



%td`È'0'îa"rt`"pô`â±Z\*ê«aç&    □uÊÛ,□«ö LDsÆc"  
pD~□Ú:0□□>□&ç¶

LŮŽ5&B™Â:ÄV™Â'7ÊH®•)ŮyŁLŮäZ™Â“·uo”)ŮyŁLŮäZ™Â“ëe

\$×ÊŮŽ¼Q|@r-LáÉö2Ů'ke

O®-)ŮüŮe

ëö«Ů\_ [LuŮ@°oAw/J«ŽBŮç,²NÉeÚt,6`£`bŮ-„“PØGEI/·`JÉ...ÚrŮGŮpŮ\$×Üß'7Û-

É5÷÷ämÝŮîîÈŮîäšû{rÝý'\sŮGŮpŮ\$×Üß“ëîäšû{rÝý'üîo^[íöt)ÿ]5Û-šhÃÅöUŮ,Ů=UŮàŮŮ(@qí<Ů`ŮV5AqŮUŮäH+Ůµ·B@ŽŽŮŮpô-ŮŮ

Ů\_±B@}•Ů,`©Â

m^v'ŮU{PäCsÆ‡>ŮlôŮp\EÏ-I!Û-•Ef^AŮöŽžŮ ìŮ k™Oj@2<™°oéV)%Ů-Î€¼œóŮj)é -òÑ]pô[±òòª„¿ŮRÊòQŮw'^È'Ůæ|‡

2œ/?@~€,Ů-òó°Ůf½KªŮlÏŮŮŮ,,CÌÓD'Êfgßd×Ů%½Ïl<ŮáÑboŮŮÎ³sŮJuëŮçÀ1(`ŮqÍŮŮŮ

T',,,ö\*Ràh?8Úc|r|^2yA\_%FHÂbEE6Æ-Wí11"~3<F`1  
,æ|q<<#Eên@â,<6>Q8^2#xd4ìíġđÁFy¼E/lÚsY¼êÔ/íŠ»Ñ<É\]4\KŠ+...uàXE~S=÷žôöÁéæ^ÿAmé øðYËgn8^æ;op:Yíàk{JÕ  
½-ö<Ýwo?Há»w`íî@Ât@'=/^Ý

ÂN-` □ø5©8□m€\%Å<sup>a</sup>=□~□!ã±×IÍÊ÷<□<□ŽEVU{ íP÷Î  
÷□mX{ ŒPußÊ½  
GSšñòE@Š'  
3é@Ûâîeéñp¼ê□%P~âîÛ'â□ç□□v @□î<Ã'd□%t\$>È;dLX□Ú~

$$\bullet Z_s = \tilde{n}$$

•yîÉw0â!ä∅}•ÜÉTY€6žædÕ-~`î#àÿœ=R,,R@ÿvxíO,,ž,-  
Õ%«Ô!Ðíù(0ä...“dyÿ”õS! [VÙ@L-OT×µè5ýÕdWeòP\$Îšÿ&vjP£  
o;r°ëç3Ý´m‡fD‡j^ç0TGqí”





GP%t :r'î

I,p|<sup>2</sup>ÿA\_Æ50%h tçWíA0žæE+qœÁx>

□&ªè€qäø++ⒺªªⒺ;å□Pïã>°v6üš/yÉ□uQìÝø•“ê±!·P\$8Ž@L9ç"‘û□o¹□ÀAå□7E~–β`‘¿C!|!aGQŠµ¼ç□9Ž@+Jè€Väè(

G □ ´ □ Ç ? £ D € š K U □ C Ó ñ g h # <sup>a</sup> □ μ j □ B X ´ e < Â , à = „ Õ G °

Ut ,rì!ì«Ú□□□Ê\$ú€½íÇz□yãX□'kÇz□yãX□'kÇz<y [÷Æ±-GÐ8ÖfäÚ±-O@ëAríX□#o□ëAríX□'×□ö  
¹v-Ç“ëÇz□<pX□µ£Ok`qÛ□Â...÷³•ÎÐÙ□

$\frac{1}{4}dn = \ddot{a}$

ý~;èP=ðÛ-Cé-Ä<sup>a</sup>=O½±S^ñß'@ç>[Øa6"1ŠfóH '«Øa6"1ŠfóH '«Øa6"1ŠfóH '«Øa6"1ŠfóH '-  
;ÛkâxµhòÓ^#×-i«žPu½s,,£Tà.bÛCq<sup>mñ</sup>:ž9yÈ~'l/"õÔ~<ÄEu\$øÀq\$ÁG >r'Ñ  
>päµ"à\$ù5µÔW@Ø(£R\$J3R"è<sup>a</sup>=(;9ãCÎ2{^Ê;ÓË~@ (£ŠŽÌ-9<sup>2</sup>Ì^m[uEf:Ú3{`Ø-  
óãFõ"Àÿp+POxÀ»ð¼dñÿs]»p%,,íÖk'(ªhãÐç,,

EŽ



EŽ

□Ž□hÅ

ÐªC{□"□'Dð□'Ð□p¥Ô-Úf€□í□□'(,ø'dñ\±8□\$ -ãÄ□2d†.èŸy†

] ŒŽsŒÀ±<¼Œ-êA\_ă^%°Œ¼ë³ÀëŒ¹ŒS±ŒĐŒkĐ>âŠQŒÓÀ3

ATÔÔ"žáž,ε

8□+ŽSĀÀ□|ž;ăÝ?ÈP~ö□¥,Ō? □□Èf±j□□C°f<□z¹W¼øSödĀà

‡Ç □ ÝGØŽ □ □ Ó ~ S « ä □ 6 ä □ vœ □ Å μ ' □ † a ç b Q \ Ç Ñ X ä è □ □ ä è @ □ à ø t □ ' ¼ J Ú Æ æ ' > † 6 ç " | « ö ¼ B s Æ C □ □ Î Ö Ç Å • è ; ] | T Ñ ± > F Ž ½ # b † ' ! Ô Ñ ¼ > □ † < C +

Ō;ō1êèÈĐ



»xúOËox-^"AMö\_|•zùÄÖ;)`)±0ÖŠ+Àqáf  
Ó2¹"ŽŠ8)-dÖ-äç`í#, (íÚN±wì6¶S<¹¼È•íO@o\$re;ÈÛ°ëÛ)ž\BN äÊv  
«Û)\ÛNñäúvJ w¶S€\ÝN äÊv  
«Û)«~;...ÛÈ êgP<"ÛÛ;)½°-|8ô]Äç

μv>βú´∅SÕðã+i∅e•N³ϕu!Ž-ÛNi\∅"Ç^Ei∅Õ¼\*EŽ∅ËÒ ;}]∅8R¼(wòÀÀÑž/"Gï~Ê;|1è«ä<vu∅f∅´!∅ÙYμj∅  
FÁœáÁ(∅.>U5<ICmie¼À∅•ù'QÃÿ-  
ÚÚË|È!Ýy¼.ó∅/∅mÖ5∅x²

-È-; } ú¼mBólňže ' \_-JzÅ''°¥□Ä

r□\_ = pō > □□ □F,,HÚšŹ"Ç□ <GQ□x

□Gð□%tà9r´¿ä2ptà9pt"□□GYÖ(XüL□¶□...%á«ö DFsÆ#2□-Smüetð-cé-  
/ª}□ŸP;tî<%ÎVÒµJDŽ!î†ç:Ü□8Ž,□Jèp7äh?o-8:Ü□8zÜ□9\*î&IZ□C□] Ì□U{□»;9ãÝ□□□q·ÿℓ»•ℓhîeÛ□ÁJ5ýäŽåJÎÃÅBKå\_2ÿ°Åc`Ú°Gª□  
ßD...□CÜ□Eu,+p□qW"Đá@ÈÑá@ÈÑá@ÃÑã@ÈQsW"Ö+Đ□□UR`ÚfÜÍ□í@ ø  
wu·÷-¿  
ⒺŽ□□Jùks|³`òí4p□n}Ë,²TÊ B+«¿;ℓçšf±□Ùñ^>rp÷½µ<ý-

•œóâ□Y@øÖplÃ\$Ó\@Ú£&□~ó□□Î

î«Ö\*¹õ:lOP¨Ö"¹V-uä□j-'kÕZOPÖ½Q-Urëuø□\«Özr½Z<äZµ□±ªV-Er-ZëÉõj-

'kÕZO@Wk'| Z++^Æõú#»?r□\_İŠI·1Ä'"èi□ÓbbdvÅX1<³8glä-ø□o<1Œè-²İ□...-lìù64>\$□;±

Ÿ,,ED·Ñ<IÛJ

üK©² □ï%ñP□mšb4·B□øMúíÝR™Í□£}šé\$/úí»ÔóyAø-é·îÄFL.sóßÛld|f□ÉÄið~š□Â{ /...èÜ@HCE°-VrÍbí-Ž. □2\*x-  
Ä%K² <Ë+|tíi□ù-□□"i□âÔÎ□-  
Íp-Tp□æ□óU□;□M"ÕÊmFéÚÚŽ%,ý`d|¼ x;^ „\_JwpU²âyápÅß>+h^fò@pî¼+N,x/>□"eö}ÿ]ÜÓb×È□ÍÈñÚÝšVO+\*žÄ□;š}-  
^□□Ô□ö5W□\_, ÍPß 'è\_qöäúW\□\ýš+'k\_q□òè¶íúW\□\ýš+'k\_q□rö+@H@}ÃÕ"è\_q□äÊW\□\ýš+'k\_q□rö+@□|öW\ 9¹ìp□ôízÊ, P□ 'ìü□  
å%endstream  
endobj  
6 0 obj  
5129  
endobj  
4 0 obj  
<</Type/Page/MediaBox [0 0 612 792]  
/Rotate 90/Parent 3 0 R  
/Resources<</ProcSet[/PDF /Text]  
/ExtGState 12 0 R  
/Font 13 0 R  
>>  
/Contents 5 0 R  
>>  
endobj  
3 0 obj  
<< /Type /Pages /Kids [  
4 0 R  
] /Count 1  
/Rotate 90>>  
endobj  
1 0 obj  
<</Type /Catalog /Pages 3 0 R  
>>  
endobj  
7 0 obj  
<</Type/ExtGState  
/OPM 1>>endobj  
12 0 obj  
<</R7  
7 0 R>>  
endobj  
13 0 obj  
<</R11  
11 0 R/R9  
9 0 R>>  
endobj  
14 0 obj

<</Subtype/Type1C/Filter/FlateDecode/Length 15 0 R>>stream  
xœOÍJÃ@PM,,|p]µ0 HK[H<-ĐcŠ\$!ÔzPš5]ÛÝ,,ütò



□/žK¼ö(□,□àÅg□ú□>£% -,,ù†™ig`024,,16'LÐ¤ç...,Èz?-□qyç•M½%Æ+½±4ö¥i<@÷#öv" ^÷ÖË□Ò1~pøtÂ(□Y00;uå].·;□î-  
Ó·m□fù□□#š°@Âÿ5,(□#Ae:□\$rsîñ ày40€ø>öëø"pz□□Æ³(  
□ÐrÚ0°~`jf! ,™ qø□&o™di

Dúp) h@@YÖF, ¥q

ç"i-%Y-À÷Sà†6EÁfAÆIü\_Aa"€4Emö°WÕ}QN  
5)¶Ö;>Ýö£inVf;/<gÛ  
endstream  
endobj  
15 0 obj  
286  
endobj  
16 0 obj  
<</Subtype/Type1C/Filter/FlateDecode/Length 17 0 R>>stream  
xœuWyTS×ö¼lää<sup>a</sup>

JzAA“(\*f□29fŠì□ç XPD□□\$□□d°`-ÚA□Öj□j- 8 -□\*Š

ÊàHU ç□4"□4\*>mō½}Ó□Öû□  
íëêç•-Û!gï»÷•çóí}□"Ñ□J □

HPf'd%ÇÅòWŽœµ€□3,,□+ü□\$pá;ï□□¥□+ž> c!26\*-c~Ɔœó□ Uf□; ,□  
□<sup>1</sup>;

.HKİËHNLÊ'Û...†.µÿ<Ùñî;.3gî"~Êûë¹OBfrbª|□9ÉNP!¥«□R³fË□□ÖJeræ<Q™-ž")□□□O^çí"b• )r¿derzzzZ¶Ün□½ÛuêT-  
)äÇua²jÕ°LyXljj|\!□MH\SÆÍøÇMŠç¼æç¥Æ□{^o<\_, =!Ägõ"ßÆD¿ì¤Ð-ä°EuK□³Sr"±□çªV-µ³w□;:M□èâêæîlmú{E}3gÛRÔx\*Š  
j|('Ê†ZF-ç|)gj□µ~ò£|R□)□Ê...šD...Q□"-µ,,  
¤Û"p\*^r\$ì@Êfr -R  
ê□\*~ò|!SŽT\$µ□Z@Í †RÃ"á"€2;ì" '□M™S□ê#Š¥, (Kj□5šJ£-~"1T□5-Ô†2çfQÿS□□□□·àž€□â9äÐ□□Â)Â^-.../Æ⁴□6□U□ýWd+J□ýAKé-ô-ñ

ňZň.f, äïlbŠ~  
Ez"ÉDyC#t¼f>ìXÁ°ŽáîÃ"t



□`, 4! □□Eg □□kbbâb²Ç"5□4=jÆšÍ7«7ûuÄü□™#vÁ) S½3\*, (57µPÀ¥B□û□\$%PÓx□^%ÂÆ4>Ð`□ý<î€4□|Sfq>□ÆðTdÊ}□S5ú□^í (@^Å□□ŽØŠs□  
¹Òàk (N™±aunA□□ý□\*Ø'·"™'>'éÐWGDqT°çÈ□Ç

<òC%□èMG™rö" ^ [ÜžThĐÖáö□¼é²"œo#

%?Šž@¥XÒpŸ|Œgw\*ãRüß.N.î

jšä□@òž-JîkÅ\$€-

Î±Cp<sup>a</sup> [È¥À;ö«Ë□□Î)M-U"z#□□sÆFØ□{öÊa<Èì|□í•MS  
|¯ÆöAÆó'□0□,□ÔÏÛ.®òP+3ÖßGEzÿBÁ□-·[+ä', -□'□'z□fÅ8©ß

+öf"ìö«´□Ð□g□□□ž□vj \_cÐ©fnÝB□¥,,ë´□□ÝŠ.-  
>[ÉH>"U□^1j...´qöNeE,,»sêLÃ}+TÿS□p:áLä□¼\$ÐZZ+i²□□□â+"tËÑÜc9ß«P□Š/P@ÍÉÈMÝ²",  
ÀÿXØ 9â\*trã´LâùHÖp"D+"ôYÊ°-u™a□+□C□Aíæi»€  
!0□-½;ŠÆw

ÆçyœW;V<á□î,,T~□¶²n"i□ÂQ@EÁ¶@ã+□öÑŽ□{°íý□ó Đý=ž,ÛîÁ¼lòÂ□Øl+S³Sh□HÀüªZ'ã□"-□q  
5x□šë†+±xùÛf½Š□□Kè±ú°□|jc\±□ï-Ij±o7□À,{uÇoWI%ù~÷Áx=□Ëö^□□Gò□>,žíæ¼ð1~,éíÇï¥|úÕfâx"â±Z;PŠøu3èhÃHN'šÄ-  
@Ks&□-è□M-fi,>□ F'Ô;p^M□wg5vGöhŽ2<\$pAç□ÂÃ□6.ÿĐêÓ'ø^ú+□~èíë#□ÎL|7G~žœÿª  
Nö\$áNt□□, D  
b□w½1/í±ìxÆAâ¼pf \_îAM,ÚÀsör·Ÿäç□œÊ>□côÂðÚì□Äeu□□edÛ

>-0Ä|BS,ã U;½Ä'Û°^Á¼,1  
ÄÄÏšéø~ÛµGÚ(; Ü;çÿ  
½°E¼"É?>ülö{Öœ)„Éóð¼çãÀE»Z€. "Lîò [ž€"ĐŠ' ' <9' ·œÛv...ÛÑÂîî»Pü1šf-hë[-„Û†ñ©ĐqBn'>Å  
x<vÂ¹8ÈVκ;×]-uP- , á



|te0- 'î4×β°1V`Ÿñää,,m^@À{rp'ñUòp·4,-7F'ì±€Ó4(@RÈ11R,ÃSi]¿5ËÝ,yb~ð/ĂŠ¹öx,ìN'íiβÖím-  
öÊ°kè3...?Vipm;,mçîÛ,}=b¼çcæÉ\}ýÛ

Ë»\_ăÝâÃ: ¯□=□Ás□ôô ÉSo±□G\_EU†îž¹xîp5°ËÀØY□x, □7ô«t4gm□{ BÜS; löi^e@²Áíû□□  
4, ^□□>†\$, 7Nc□□□ÜT□aG; Š+Ô□¼iSxFÃôÖ'Ê·'Ê [JÊ [y%\*â%ê"□=8\{@"' '-; |t×µíìSqÁŽ-  
Û7çp´\*e™'#) □Edª-Š[ÁH~ï□'¥ÝpžxyìM%näŠ%}·b?) □°Æ£] 0f½<Š}/DÊîÆ4-mDwÐ¥□Öw~t1òÙ´2;u□reP' (□%îíú1÷àæï; <ÅL£÷Øu, □3¤Fw  
□ž@<Wsö

□3†8□"Žqn0Ū[?□[â'ásÝ|.□Ø¼Mê-Â8  
øÝò□Ôá□□;#©Ë5†□-`ÿ%ku7l"ú□Ä™²Ū~÷;†M□!Mç(□fVÆÃ□•L□{- 8□%ŒŽŠZã½"áÀ'lé†f\_□ü²œq£wb“-Å0-  
ìŒQOn;Sç\°9\*}>}Øÿ†Ô#"|tÍ...S-wËR-ì□pÙ□îÁÛBA[□i□Ä6²ÝûU]▣□ð□àøñMù...ò'õ{3Đjf°□h□□□ç`Èú8J  
'Å□b□-x%6×é□÷îê³"|€...@Du  
ÝU-ç"“pŪ,ĐŠïb

"Ff"~N\*Ùr1kβ60î→sšH@æÛï→-À|N+Œ'âž¼È^Ü@#Š|rsqîÑi□kP

ã□□o'¼íjç□Z□□ iw""zÀ,,□x,□ÿ`□9□Q!°]X,ãÛ□ò6ñÆ`7lû□1%ÿi--□~&6...

'gN!□□

î□[□b;ÃPÔEëUFÓÇ?!JæLvê;µy□6P□o´pᵛ>tp:n?»□lì»ð□,¼»ÝL<Êµ:ìut

□-%\$=/2+W+Z;øì8å°Ôæè□<Ð□□~8@2ý\$Ïîl~"EØ-p |4@îÿI"□Q7úµ°°-öì©Û"□ö†Ý±;Ž?@□%ép+I9Ñduÿví□`nG8n□`ž"5...,@-  
Û0"□5,,%ø©N`rÂ-†áââÔ`z OyzgµGòy™ßî,□¤□ärÛ\Ñ

\'-TÉÃ|Ý□cï5K9ñ



f∅ýv∅oμç[k¥'\oñ∅∅´F∅β∅∅pGoíÂf∅;u&lé·&

äöïo\_

!,0b

y ÿPaÑ\ 'h

í

žXÎy' SPŠD-ác¾Fp-Ç7%žN+éÇÀ-<~\$ñxM">P\$Sqîäë»å. [éó [fã2ôLmžrrâLf#ñp'~Ç9ÿÛà, ('-  
\_Ë!8'gLiW'"8Ú|Û¹©æ•Ýp`žÿjYIÖÖM\_;/-S?=xL7Å:ÿ:ìÛU-<O'f|@Ú°"yBip¥çT~•i'²ub""\_ ,ËËÛ\*ẽÃ

åräïHr□ï,,üûN}qÃu@^c™□è□:°ãøñÒ"ÀÿEi>×gd%+W}□...~ „Sö□å'z

È´ûÜÿâ³ š|,Ü  
ØEæ; ; 0ôã5\çÈ-+fdÒùß´NRŽyð  
ÃÉg`a~+Ð,žó:“~  
ÿk%8a€NüwAª „ØÅ-Ã+bs9ð°iÁÁ,PðŠ+Ñ-8ZÔGì [î~0 ÿZJjùá×UXðøaãÍ-[gª,ÿçÁ\_P, <ä/¹±â-  
áWì}c³EI·M±%pÈE`];`\$µ+ÅÿM°à  
éÕù`àà@XR»ð\}j»5H{I\$ð/XX°à“ðEñ2 (Ã\$`ÄêÛtð?Ûð>fàèó- ~àgCc+CžÅðüð4r:-œÚÐB ü+éÛk~cxMxðL-  
Y(h,„\$ [l@ÀA» ìÚEfPbK|´v> (~fÀ [-xja<ó\$ ,x, Ôá\$ö-X6C®  
²Kf -Å6µDÈ°fÝç°S&fªÁófiäQßb£q¹<€Rù¹Ö%6ën9].óíêêîðq ß, íùbÛŠžBA÷a÷{ÖæFžùmÈY¼·I·@z&c1çß  
°ß  
!E-°y?@òvN-□\è...ð^!æDG² (\$uuTtp-#") áí°ÁACšNH×½Xp<tuÝçñ4zU=™ð#:zš½Óð7Õ~^€MrÛ  
°-“V´í,“ [BL+ØñçBX|ÿï:yyM™ÒáóR×ÑñçopÃÉ2\_£«U+B-D`X}©±éRU£EsZÉdªwhNFŠtÀ`ÉÛ9ñv/Ô/^ÿm>`WÕÈÛô =y  
,ýZ!ìçv°+Z}äb±  
rðñ~õE,´êæ\*;ÜÛ^!÷M7kJi¹öSy÷å·£pÕp¹ÈèöìÆØŠŠŸ? ’´°1fèFKS³«tqñ...KçêóèFèÛ°5È%2ç¥ØnúÊ€ÍxêhN9-Š-  
@~†yµ

ôúô'7

X

jv-

]¾] \$ùÐW□3ÍuI,,óääå5¿□!#=6tiêC)epmI}¼ÏNzÙ□V½IuÓJIË»sìç°\_-ÀtV;¶Æ6s=ñä`¥Zzû...□%ûŽ□Ž½XÒ^□uuô¼È<Uü\$²ìÏ•\_□oc□p□ûNNA  
xD x□^,öò,×#îñÛÊ 1~`□□9%áJ'<3hÈ€fÑ`ÐÝjpî□p³ 4é,,

†!t,,ÁBô~>\_{ú□yÒ«□Aã'.

žìµüì£l□÷pÅ{ÓŠÖž

¿S|Dâŷyû-□@îô□□%ÊÛ Z%;□Q"``ù□□>ê@çgjÁÅ-,@¼□IDb=0s[1...<'oB-"/#ì□□áá?Î-TT,,PRªùì¼ÿ-È`" <

K | - $\pi$  / M  $\square$  m  $\ddagger$   $\hat{u}$  M  $\bar{\beta}$  ; [  $\hat{e}$  B  $\ddot{u}$   $\div$  p



Ùá-ìÓúEŽ@!A³f□·<×Đ, Û=È□î□Iä□ŸDª; ' ; ± ' pÂ□ÛEà□æ% } □rz` ) , Còà; □üt2Ōæâ½A½° □üXJ~ç⁻¹ ; -π⁻ ýbIÙ] + □° «% □ŽtóĂĂÀ' Ă { +π' ßgĂÇ-  
ò' Â□o\@

ò7½ÀvÆ]ÿyVŠ□ØG

ÔÄø□FÄìÿuñnKíÅû2\g\$ù] {#lÆô□0□□□<] ] 7š□Ð□` Ë=□w□n³+æ□\óÿh...ª áV† †-□«-|±†0óÐ□ (2#pZq³⁄⁴¹ªµ°□□KÆü¼†±ÍñWfOñ/>Ö

```
¶X†Gõ:ÁGwkK□/É¶áàa“' ;` `òlA
□qkXÍ-□g÷...Á-Ó"®;ê½qû±ì/éàf¼□À□□BH!•áãã<nýÿ„$Li [ ("y) -!èb;ø8¶□□£□f•□„bó-b@^iÚŠbz=-k,ú[cã$ {EM(êÿ□í$µ
endstream
endobj
17 0 obj
4233
endobj
11 0 obj
<</BaseFont/SNDABN+Times-Roman/FontDescriptor 10 0 R/Type/Font
/FirstChar 32/LastChar 32/Widths[
250]
/Encoding/WinAnsiEncoding/Subtype/Type1>>
endobj
9 0 obj
<</BaseFont/KGVIXH+Helvetica/FontDescriptor 8 0 R/Type/Font
/FirstChar 32/LastChar 150/Widths[
278 0 0 0 0 889 0 191 333 333 389 0 278 0 278 0
556 556 556 556 556 556 556 556 556 556 0 278 0 0 0 0
0 667 667 722 722 667 611 0 722 278 0 667 0 833 722 778
667 0 722 667 611 0 667 944 0 0 0 0 0 0 0
0 556 556 500 556 556 278 556 556 222 0 500 222 833 556 556
556 0 333 500 278 556 500 722 500 500 500 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 556]
/Encoding/WinAnsiEncoding/Subtype/Type1>>
endobj
10 0 obj
<</Type/FontDescriptor/FontName/SNDABN+Times-Roman/FontBBox[0 0 1000 1000]/Flags 5
/Ascent 0
/CapHeight 0
/Descent 0
/ItalicAngle 0
/StemV 0
/AvgWidth 250
/MaxWidth 250
/MissingWidth 250
/CharSet(/space)/FontFile3 14 0 R>>
endobj
8 0 obj
<</Type/FontDescriptor/FontName/KGVIXH+Helvetica/FontBBox[-5 -218 929 741]/Flags 4
/Ascent 741
/CapHeight 741
```

```
/Descent -218
/ItalicAngle 0
/StemV 139
/MissingWidth 278
/CharSet(/two/A/y/n/c/three/M/B/z/o/d/four/N/C/p/e/five/O/D/f/six/P/E/r/g/seven/F/s/h/eight/R/endash/t/i/nine/S/H/u/T/I/v/k/semicolon/w/l/a/V/K/x/quotesingle/m/b/W/parenleft/parenright/asterisk/space/comma/period/zero/percent/one)/FontFile3 16 0 R>>
endobj
2 0 obj
<</Producer(GPL Ghostscript 8.15)
/CreationDate(D:20081204100321)
/ModDate(D:20081204100321)
/Title(Microsoft Word - Document1)
/Creator(PScript5.dll Version 5.2.2)
/Author(heu5)>>endobj
xref
0 18
0000000000 65535 f
0000005464 00000 n
0000011703 00000 n
0000005395 00000 n
0000005234 00000 n
0000000015 00000 n
0000005214 00000 n
0000005512 00000 n
0000011270 00000 n
0000010516 00000 n
0000011031 00000 n
0000010356 00000 n
0000005553 00000 n
0000005583 00000 n
0000005624 00000 n
0000005996 00000 n
0000006016 00000 n
0000010335 00000 n
trailer
<< /Size 18 /Root 1 0 R /Info 2 0 R
/ID [( [ [ -D%6Ä-²ÖÁ+b“Ø) ( [ -D%6Ä-²ÖÁ+b“Ø) ]
>>
startxref
11898
%%EOF
```



Appendix Table 2. Poultry death characteristics and positive environmental specimens by collection site in 3 villages of Kampong Cham and Prey Veng provinces, Cambodia, February–August 2006\*

Outbreak investigation date	Village	Sampling site, household	Initial duck flock size	Initial chicken flock size	Duck death rate, %	Chicken death rate, %	Testing in poultry			Environmental specimens	
							Serology (HI test)	Real-time RT-PCR	Time interval, d†	Total no. samples	No. positive samples (%)
Feb 11	1	1	320	7	0	0	Positive	Negative	NA	4	1 (25)
Feb 11	1	2	220	0	91	NA	Positive	Negative	1	4	1 (25)
Feb 11	1	3	100	0	83	NA	Negative	Negative	12	2	1 (50)
Apr 7	2	Subtype H5N1 patient's household	2	30	100	43	No ducks to be tested	Negative‡	0	23	2 (9)
Aug 13	3	5	14	0	71	NA	Negative	Negative	0	2	1 (50)
Aug 13	3	6	25	8	76	50	Positive	Negative	2	1	1 (100)
Aug 13	3	7	50	8	70	50	Positive	Negative	0	3	2 (67)
Aug 13	3	8	20	30	90	60	Positive	Negative	6	2	1 (50)
Aug 13	3	9	6	20	0	0	Positive	Negative	NA	4	1 (25)
Aug 13	3	10	5	50	0	80	Negative	Negative	0	2	1 (50)
Aug 13	3	11	10	25	80	84	Positive	Negative	3	2	1 (50)
Aug 13	3	12	4	2	0	0	Negative	Negative	NA	2	1 (50)
Aug 13	3	13	1,600	0	80	NA	Positive	Negative	0	19	10 (53)
Aug 13	3	14	Unknown	Unknown	Unknown	Unknown	Positive	Negative	Unknown	7	3 (43)

\*HI, hemagglutination inhibition; RT-PCR, reverse transcription–PCR; NA, not applicable.

†Interval between the sampling date and date of the last poultry deaths.

‡Tested on 1 sick chicken.

œ~ødó>Sh -  
ëíé#h\$çÂ»í^@...à~Álœ`!ÀïÓ''\_n?ÚíSAØíófî÷©ËšzZS5õx·L[Ôöß;©~tîl7»½aÜ(g·\$;~RBEíYmt^S7-yê'pîpsY3YËÜióZyµ  
ý-ŽüY-ø°|ðW-õ<aò(çý~ð¹àïðç¶nã9«) \$æz'³PuÃ}XE^\$6R-uí¹e=Üí-3ÂÛ€e\_.>  
œ\_ÖNP“Ç; j~VÊb’/©æe°ZåöLÝ\ìpyú\$á%3\*MN/€¥1>³!Õl87áelRÈiD±Êý¶V],r-Û2Û^¼¥g4DðhOè:<Š- \‘q\*FC;>S\$  
Ï-’\ÀÌ\*,Ï&Aà,°1SçV)²s\$Mü¼ÖÄ\œ†úyF%ÉÁÑkA!††4XÕEÚMô -5zJ•+\*“\è>  
-šg[ ,+bÿ.è-...·ù>j™ä?‘âf<-Hxh¼-ÏëfyÖo>”°a)ÔáÇ;Ë,pëu-îD3i□h



g,,è-†T†Ógm-m'\Ö&  
}□Û|ÑÚ\ -0□+½C“žm, “†W+Ñ"□æ½æhÑd#\*^NóoKt`□□-μ□çh5JéEÍz<£IÊìz□Û□VïÇAi□’

F¶Û&u-ùì>©j6<sup>TM</sup>aE...,,;¿@ygDiYü\$ZÚ, lk{US<sup>f</sup>)s@ÚCN¼lMÝÛ  
falcã8\_í9óAÆéÚ<Ûh~%ç\TMí|×5Õv<Ò\W("ìn×èý"dèÈvìöÁ\}-âB<sup>2</sup>·<sup>1</sup>é(Ã=Àt¼š-  
hK'□, GßöË'|¿;=ùŽ}□G□Û □ Úlž \_□ÚÛæ□0ßä~Pùæäúä-  
>Sost□i"pr,,qçs#Ìúô\_ydÿÿ^Íc□NéĐ<sup>TM</sup>ôSÄÿó°'âç<Ë"G''i\*)<sup>2</sup>R<sup>TM</sup>ÂT□çÿô{WIp°I«b€ , ç□&□B+°U+B24)Ãß\*Ã#□Š'!âm<sup>2</sup>¼m□ÒÝ\*Ãa□š□>  
Â-2□°})□ÊP\*Ã!□□' ;o•;±

r.FÜ†#□□□/E“q□Û□9Z□Ý□²'V(d□□ž\$1í%ak¼Æ†Ié'AËfì/'\$÷¼Ä¼BsÙfgð"G>□ÔüŠèýUö¼PÅg,,“XÇ□ÇtAJê=-□šª∅+□À:{“ýád⁻¼”&□u{C&  
‡\$DÔ□Ò,8í7;vð·ÚÁÛÜ¥°Â □ö4G°tJx†/□NfZ□□šß⁻∅V□-süéî°rMxdä9ç |š ¹\ì-□ĐàÛnzÿÿ´á¶Ù"□h

agk<sup>2</sup>yèLpA

¿™É□Öëù□□Ua"À^<j½ßÌ^¹&"°ÜèÔðÿù@©ðhË¤Rn OœÔ□ž±o|  
<è□Ý"

“99+Ê;îàsìh“□f3øbÿèds4ø€]Âs□àûm=úc"t@\_SPÍAÑšXñú` □Ú9‘□,,÷) áNpj·×ì□□ôD□í, sxž3ÿpî‘nÊäŠ□^ûÛâ  
À□\*□Ž^f□□æ‘□ké, Ö·Í3Eñ@>ÂCÒ+ivÂí□¥SÁ

xÚxV\_mk-ěđ

éŠv“%â8“ü«] ‘ê|Ù:Æ...Â°óAí-□òI\_b\_□Øé<Uoa1qÉ,²□-[ÿ9"klžl};ĐBãçÔfÚ³púæ\□~•“Í%□Yšěö!□□àŕ[□WÊ»□!}Æ9ÑfÁ^v-!!¤C  
-RĎC?\*□™ê□ç&šÖ3jL□'°Wÿ}œ,□□□œ9ám;ö□ÉÖcRĚ□ @□ý¤€`U@ñ"\*~Z□, MŽ'□Qpúò Ó;ìã°o; \*ŽÂ□|„3úî'ß+YaÓKXP□ì¤-  
D^ {V@xp□ÈÁ□Û&†9€w] òÉ-□□TWÿ†:wát+□□ Ñ©ö~áU□^-@”

□99¥†-;1S□+ÃVjôžŃŃ<1CWªÖÀ@â]¹R`D½î]©[,uèä-j!@g□½³569`□¤cONÎ2•□-□□°ž□áªDÃ=□□ìpk  
-P□□éR!□□=Ë,,□-□XbUŒ?¶üì]WFS´□L□´ûÛ!lÁ¼3JÝ-né ([  
8□CÃ&û£2%-N,□-«-Æ□KÇ@Œ™□e□(DfZÖrSS  
{>ö  
1L¹-|\*5V"O¹ÆZØ)Œ□ÇœJñ(à"‹†Ñ|R<  
ñääæœ□□,L@x□a\*Å«}□cK¥x□XJÃã"R.-j"\<Œ□âb·Úz¬ sñzßã8T.-□;2ÿ†□"R¼°bc¥[Š□;qÁ=  
ö□j\Ii\y"ÆíõhH□|□jf?  
□zĐ>'@ÒNËØ÷û"...□è©ÉzU□j,dòP©îM¼€,,µ"âcp>'ì\$¼Ã¿@½□i□E□ÑSâ□Iãk|z□ò□ZŒËùªÎ□Uò□>€22~ªTÇ;ŒδÑ#CD□"ÔH¥™□^□oÀ□Æ□^□□'ø  
P?□/Lø~ª€ØC]Lj;ñò`□@]Ç"□âi°×)R□fB¼-Ät>\_•HÆ□SÀ□@0\_JÃ□D0àY~ZüiÍÃ¬-  
; \8□€ÊM-ï□x~>fÈ,"JÃöPÍ\_ï□iu□|ï□•žaê&€□x\$AdÇ□·AÁ©,,@â\÷ªP□Á-A[¹β<□fäý□>ZfÚ¶.«¹âpUñc"□s×w~□...ŽE□!Hò!  
Úxïvö□ô%Ã¼¥r



Ž! Ÿ" 'ä<ú"ÚÈ>□ëÜ...oéÀ'étš'È/ŕo#Ø  
Ð□□m\ü'

□çãm²^¥5~Íî±öÅ<i□ž□žElîz!ªí□,,jä□ž□5Â\$Ö^  
7Q,fô^\_"Õ^â□<□çÂ  
äbJ^bKC\\$E¼†stpj;9}Óœ:Æû6{é!Û□ë□NH³Û□¼2ÑPÄ□»k"□Ü¶"î-g.&-mó"ßè^öpZÛr@ë)U

homd†ÎqP1ùÓðQya)^4uo(^øu^Ø@fýåâ\_g´†} ½ÇGwI1£#æ°Éö-Ä1:Šäx¼` ,«p

\_òÈSØ□8ã (î

ø@îðÿ-îúDuce) Údd-&òØZiö´I»hrTfxšã@à<FûûUQ (\$@rÄpb9b) ŽÜ¥Å9 \$0ûŽA|ì

"EXãI pÈé>) ír:õqù^dpíçfyªå¼r-r

æ÷àd.6ñß<+ô#ð\$+6të+û|QÓμšp-i5iâT6~Æ>~%ÿgó"G@y"G@y

""ÒN-RúfJ7 Jš□Ê# ô\*P-□¥



?

PR«

]JJp¥ê´!] \$ít>vJO@9"C@9"•ziE2c RçftÖ(Z

/ s2‡ s2‡!7\$B-ò¥...\*Pqª"Ó4dNc Ö s2~È"Ñé|D,,E¯p+½È«Ó

!M[š6m%6;²@j«"žZ8"□□•β□-ç-R;Çæ-□çnÂU ,□Ê" □□Êa ´h@¥ti;□fô  
£R/+□âP□P-3î3PÇ9Žì!×^>□qS#nêŽ>□qS#njÄM½ÄM}07ö»à!□žÉù□žh  
¼□Å5ç,F□×□Å□hv&¥o|t°çRêL×U□¼1ÅµQ+xw□çÇ1ÈÆ□!□xã□Ð□²è04□š□m □□ØÎ□f  
3□2ÓLsI"□¥^□□+v&õÛÎ0Ç;¨Uí°w¼;□àEAopø;□Éβ□ä) f□□□□9□V3¼øæ-ç□y°□řňžòÿ££□G□□□□Xòç□□-ï°#Ö,î□ôáÈ□!□paš□´â.Èý  
^□"£°ám?ü-3F@□HRzEã6`□@•Šp£åáwútPñPê{"D

»Ñw<uò

ÕH×@>QéýÖí, >HE

C,,ö¶«%3söK¿D~Am\$ ``%r°Ýæé>\_ \$"4<×-™,,ä•ój?%z÷\$~îd(ïá-·-EÚ•

ôîSeŕUÿn'□1Âèé-e-(¥×0<"1.â[K´NÄ□¼K%ÐÆ;îw'Q@xIQÜÁpH□%Àì□SyöîŕŠt@□.æ,\$9s\filæ,L□ h

“mr□, îmyr#5be#E·ĂÆKçÈ-ñĂ-%t´¿<z/NÂs\$â•©=gî□eÔÛOâĂ□\$ÿpN, ñ5iHiè\*P52L -Ç-  
D|□ĂaßªøGSölj□¼□ôKqMĂ□I t%tñzÊ{5ö□VĂ \$âŁÝ\*älTï«H©ZiéToCÔCòéàQñ9´xu□ÇiâŁŁR˘vöaCŸöû□□y°ÛĂéW□-Œ{à□-  
□> ‚4<ïdĂöchïXð00Û

i^□/jëë6-ow°-“□Â·¥x'ŠE¼k¶, -âê\_





v½žŕUëãĀÉ{ ~ĐýH°μμAØ='×1□"dý4e}□/□2 ãÇ

□\$□S€Éé□□À|ŠJ?ÊÀ

Ø±÷%...@SA´yEð»Rîù"qÓ&%æ<ð`mİçœ+yÖu`¥×jý|•Øç^B\□Ú Ūv|Ú□-ÃEK×">ÃËÃ□h87msU<Î [□-„Üi□!/Ū-\_Ùq□ìkBr-ø'@  
)□[°F[ùª□"Ê¼XS□h(ËµFr/□C~c±•ä□□„E□#EšŒ£□¼•o\$@ò□□qFìÆW□Öÿ□T□M□ûªé-½ðÑPozß□]a;´³`s=#□sM

nÉô2I`°(-  
â~œÚMÚ□o•,Ë□ë1â+kEÛ,,:HAð+ö€LDã6+`□ak#TLY□°öe#Û@□□ø@Tnù`J;□×M5Æ□□Jñè±S.->v\*Å£□G¹xøØ©□□ŽÎ±âñc\$R¼Ú÷ø±S)--vJÅãÇ  
N¹xøà(□□□ââác\$T<~ì"×xû-?vÊÃÃÇN™OÃÇN¥xuÅÆ□□JñÏ□i\$Ô&†-□\$U□ß□wÇÕ-¼'ý\_é7y³endstream  
endobj  
6 0 obj  
3839  
endobj  
4 0 obj  
<</Type/Page/MediaBox [0 0 612 792]  
/Rotate 90/Parent 3 0 R  
/Resources<</ProcSet[/PDF /Text]  
/ExtGState 14 0 R  
/Font 15 0 R  
>>  
/Contents 5 0 R  
>>  
endobj  
3 0 obj  
<< /Type /Pages /Kids [  
4 0 R  
] /Count 1  
/Rotate 90>>  
endobj  
1 0 obj  
<</Type /Catalog /Pages 3 0 R  
>>  
endobj  
7 0 obj  
<</Type/ExtGState  
/OPM 1>>endobj  
14 0 obj  
<</R7  
7 0 R>>  
endobj  
15 0 obj  
<</R11  
11 0 R/R13  
13 0 R/R9  
9 0 R>>  
endobj  
16 0 obj  
<</Subtype/Type1C/Filter/FlateDecode/Length 17 0 R>>stream

xæcd`ab`ddðhí)K-ÉLNôöOÊÉ, ,M%jýfü!ÃôC-¹»äçëÿ'¬²

>sPðvó0wó°îû!/ô½[ð{□ÿ÷V□□fFÆŠ)

□ó

\*<2Ó3J□4BfÂ5μμ□"†---

I•0□□-Ôâîô<□5 £,5'¿ 75-ÄZÁ□":'3Y!=S² £X!1%%5□α-,1'5[Á-3'³ ¿LAÃYSÁÈÀÀP□H□ùeæ&•□+□'æ□+ø(□¥|-æ\$□)x-

\$□□B'c` ``'d`□b`bddéÿ¼ŠiÇ□'□βfn|?)CèPã,Çβ÷>□□prÿ»™hWCwçw+†ö□β- 'Ž,Ü¼\_îîÁô\$-□Yòbî-î□Ý»\*÷ä@É\-

1î•Û°Û15ò...CøMç□@w€"â□□i

ÛvÍX,ZnÆ"ÓV.Ipíáj"Öí!üÅ;cÓùì...?²Dïï<ðP´0Q"~ã',íð·;OPÈó•,ú±`pwßù><Ønr=æ¼9##%%Qπ¹  
endstream  
endobj  
17 0 obj  
402  
endobj  
18 0 obj  
<</Subtype/Type1C/Filter/FlateDecode/Length 19 0 R>>stream  
xœOÍJÃ@PM,,|p]µ0 HK[H<-ĐcŠŠ!ÔzPš5]ÛÝ,,ütò

□/žK¼ö(□,□àÅg□ú□>£% -,,ù†™ig`024,,16'LÐ¤ç...,Èz?-□qyç•M½%Æ+½±4ö¥i<@÷#öv"^^÷ÖË□Ò1~pøtÂ(□Y00;uå].·;□î-  
Ó·m□fù□□#š°@Âÿ5,(□#Ae:□\$rsîñ ày40€ø>öëø"pz□□Æ³(  
□ÐrÚ0°~^-j f! ,™ qø□&o™di

Dúp) h@@YÖF, ¥q



ç" ;i-%Y-À÷\$à†6EÁfAÆIü\_Aa"€4E mō°WÕ}QN  
5) ¶Ö; >Ýö£inVf ; /<gÛ  
endstream  
endobj  
19 0 obj  
286  
endobj  
20 0 obj  
<</Subtype/Type1C/Filter/FlateDecode/Length 21 0 R>>stream  
xœuWyX××Ÿ1df"- 'Ž (Ø\$Š  
(²» Ê

□ϕ XQD□□,,□□d±`Ý<sup>a</sup>•qé,J-□□□´<\_ Èϕ,@T□\*\*Qfš€□Å\$Oí;“wÃ÷P□èk;þñ¼ä>öžsİò;çst\$€+□\$IŽ□LHÍIÈÑŽ<□îÿk’;€ÿH´□¥é\_ëóÅ-  
□Š□İL9□□gbT>Öb□□?k\$\\0+¼□□□IæíÜi“ž’ÿ™œ~“-·□□[b7u<sup>a</sup>ý\_OœÝÝÝâ«òÿ÷Fî>□•œ~&ÿ,,/r□RÓ3” iÛsä>xujjrœ<15?#)K-□-  
ÿ□/^EÆ!&¤Èý“S“32Òsä¶l>vr□'çìøà<sup>2</sup> Y<sup>1</sup>jm-<<6-K@□+%%\$@MÍüÛC, ¼æç\$Å-K□\_à“‘□ê»z;\_fϕ□VRXvrxaÚÅA9)□<sup>1</sup>©±‘-  
ç)WÙÚM‘ÛOspšèîâê6}ÆÏY{Ý·n>3™ Æ□QD(ák,#□□~,,#1□XDø□NÄD"€p&&□ád 1™XL□□@D□□L,□vD\$1□~B,!□Ä

â"„,ð&föÄRbác

'FÆI~f,,91' □

BB|H°Ä(Ä'□ME!Ò + "fø"□K\$□ópŠ□#b6±'h"MI□2→¼7E□-8-Y4NT

a□½7r7Š5\*□»%?□·P"\*"ú'ú•^Bo▣ëé□ô□FÂ□0Û~Z| }xòð□Ã>†Ã^°□ÇG<1¶4ö5

0N1.4De-5Yi²Ää¹i' é□S0K2+6-~04/6³ûÁ,,¼á,,™P'+f(□iTJòì□ÎPcéâw□\*Ö+ÄÈ,,B%□Jñ?".H□Ã·\*□□P`□OÄfü-  
(M-ÿ□Ë□æËX4Ñ`□-x{±  
□~†ò"YëWç□&qç>ç  
wæifæÑ□6□Øv^;ÊU□úpÈÄý+¾††B½Ùh3¾'+ã□u&•Ztty>†]Ý-  
'³□X;ä'CÙc" |%□ÿjéxz«:N!Eÿéää´&,e'ÇRÿw´TrVKc3²»xû.ò,,FÄŞÀ□vûÅ□?âV&Ö+\*½9□□sDFÈ□yôÊa<@|p□>Ü#>I□Î\□ëË1Ž<iÁ□`ÙªzÖ  
q~•÷-□ÖÅuòf□Ş□0X{C□...n□LÄóxïNªçáWp□ûY8´áI□4jDp~?ÉçÉ.ã´/òÖŽ□;~Üû-æA□Û;4U¶Ã"íkñD£□ù"□G‡°.□€Åe•N&(Q-  
.ã□\*ð,µ8ç□KØí□~³^ÉÎB□TRcø1?lYX□Dç92I=òÓ □ÆÝi8z³F\*)ðçK£u|,Û{y

□)¼6]4ÇÕqÁ#0□³ë□žIÍô«¹2½o)y\_ĚKμ"½□ÖëjĐQ†'¼N<i@çμ□ojĐŠšSxiŕššiw“u:‘~  
İ±iàæ“Bnœ□775"4È'Ñ†C#8dR5;Ý·eÑ□Ě□□øš`\_-,□f\*μyéÆä,4ehH²□6wç#0□

;Z aÜÖæiôã²£™ûS÷F0fþòST8ËMB-/j,%?5;4ö1□;ÎGÔgµq

X÷□    ØÛNð□



Ãï7, %\$-'ù'-1    ëïók³ÑHd¼`¶“ëç†`

æW-jCÙmàÖEž}\*â÷Àz-{øE]Áéä\$\$.Ùa³&MÃ~†æ=“Á»”2ℰlÿå%\\$·ç"ý|îñ-  
Ç<.1;Ûøóú`¶|>æukÀôíÛöçí23ýÁ;øæðñûu"~ℰ>ÿE h<r@y(ðVk-  
m,\*{p»Ä3ð9'Á4'Fên.ÿD&H|Çã“r'Á¥iðÉA&dÍÍßP“=:~-NÔ3  
~|@bB.ä #çú™òX³ü~GÃ,,ûSð²CdfpN@Xw'ÚnìÅuSS;”ppê>]\ÑAi;·{ÃŽuã3OæâÐaXPÍ/×ÐCõ~VÅjò™

zúEx×□, äS<sup>-1</sup>š□\$□9□æ`-w>□□fwj  
RÔ4 ÔQ¼µ□□C\$ÝÓ,lîæÈe.2A%□v©;PMöêDđ1<aùqjÃ8 (ä□Ô+□□J¼Tmđ;ìà) 6Ó[<3ßŽ3o)©j□Š»R(îÃ4wi`ý™JFÒ~ääá`-ì`žĐ...;·ìØ  
ÀEp«R-y0'ª□,À□QZ□E□j

+©ÔÀY-âï,,ÕxÑ'p±ÿT□Z£1Î^AžÓËýÎ-•Žiù´™»Å]8V{<É 9BM+sòö!@ÿ,,Kà'÷dÿ•ów[003"bÛ@...`Î©,Û±@>S·ÿæ

V-€£¼¶·Ñ

Yç '□^@N<□<·EÕf□□8~¿pÍux£Fo°ërµ;P^×ÿ'T«□M~™,y3¶èMÀ□dŠ□i6W1Å½:->PÊTyW  
Ës „1QQk¼W\$“□Ê '@ßÿĂp-UE+µ□™¶- ,□pe€~| ó□\*ææÍaÛœf□ß\$□âªÆÔ□;ÑvûdÚâÒ?□ô

x•'□Ý~@E□,Ü□"Ý~<□ê<ztSA©'bÝžLn53D;ZEóÄù+²?Ž'Âqz□,à,□v«-t:@½³û-%ia□Üfa  
Õ]□ç,“ðEÁÜŠocJ”c@\N%U19²½;□LòNÎÝ™¼Wÿùéb•□XÌmG6RÔ3^□¹□ì+μô%îøæòÜÃ9%k,□fzL¼-□ã6»“ÿÒF>Á ý□'q:L~...&ø□üf□S'!'•7KK  
w~uLÚAøør}Ñg□“,qO•

DSÚ

2±ÿ¹¥RJPÆ²S°ì,CY7¥WÍÿ3™#@Ô7\* < :m



^i□t-'.^Çïc<ÀÆ@íÁ'w³uG£]jÃ\_fÊ h™XÒó<<zu~□□Ÿ□-°6-7zÃBn.□q0@:ãÇï□ÙQf“°#°\$|2@!àq"^8□÷[iíÉúÓ'nr-\ø-  
Û£èãúÑ'.xŠ"c-VwoÖ;□æf¤ýŽ!□□ RWJv÷ñ#0qÔa" ' :½Ò□μ□€;ía@Ù□O□xgw.□ü², Ù□»q□ÈãsFñe³P□-@'+û¹□ĀŽi•òô,f-  
ív3üŸ]ōGÛë¥'<oz□†zJMĀw□...ÿò[³°Ymhw†-□Ö□□□?□=àuŸ□"1" | á□□\

□'„Sℓ š/□Oℓ□-Á□Éy□|

C™ø□K„8\_Áq-'4%□N+©G□Á□U%βRh□¼ÄL\$-S (□eŠ□»^^ZJ>Ñ□: [□e

Å´o(□-□Sr8Išx1]□×ìðÅ

ø9²ýÝæf

ëfIR¼x□f,YüÅQà0h-□Á~□-'&R"□ör|áH□=¶@□zÃ;þnp□□ÅAð`í±□ìñ~3□"□□8æ□~□¼S-Eµ□J□Ãùc=+©Ù¼i□·Õ:í³ýGdp□Ö□4  
ÖK±6>Iš•±Q¹} ó~úæ×S•\*Ž¹W□¼T¶[-æ'r  
,6£□□ùÛRÖ/ÈL]Î□0'<û[;¿βj,ο°\*ý:ðHV□w€+Ûyô□Üb €åð7`ÈÌNN]øY□Ç□'œhl@:ÖS"Óîûa÷±□f□t□sù±£àk<YÛRh...a□-á□Ä" )Ø□g-?-  
<Àéœ□β²`€□{

#Ä0EB¼/4@ÃàDöfXì<1,tô\_ -  
|ák!¥(

Y@~Øž□´□... Rñ

Æ@4Xçhq?@•»□N]□!Cø[Jê...+Kàe5-ytçùzÛ□\_□□¥h@x Û^?□\$ÛòÑ}□-ìübs□FIS[b+□8?.úÓ□  
FR□-pûhÓÔ□-p~/h□¤¤{·iIý,3□i□Ö íÅ□î□<SçGRÿO2□ÆÈ '†I"ŒÕ□μù□ç·yx<sup>a</sup>\_ZJv>□Á□-k2<sup>2</sup>T `

9sÈ¥□□¿F-L3å  
6Q0-□7



\ëÁĈ

ã™?ÄÄç'H†'Ø×`Ù

Á8sàç€àÉ`É,|`È|-³žy□k□òpEX

÷yAìoö2w\*o!J-+ÄVÝ+<'ýz€8žwu\ÂW`„'xÿÑäS=¥æ½HóŽµ¹-Ospës-  
ogèěž\_jžÊÀó×SØr+„\*,ÉçM>°i°Dß'šw"Ç26iÑÛÉ«Tä¹^"éÁlÝR6^  
M[[]'mïa'Ñæ†Hö0E»Q!H×>\_p«tuÃÄcããôçv\*N|tô4;†â` "k\_¼™ýÛ4`ç;Ê: `EÇîR²²bÚÁV8Š`™~>ëàé9mZ-gÿ@«ëÿÿ¼ûSe~F-  
kV„-Ž^±8<úBsÉ...šfïĐÇd·(^†Ñ[b°ä¹çª@ç/ÿ'<«iïä»“-XÀ>-öñ;YÂN-~é":'¹hì:F!  
†ÓöŎ]šîP+âwiXÃpªøÊUš<`>Fÿééb'æÝ«YÍ±\$bO-ù!sæSâC36Äl÷a'Ô®°-+÷•-ÿ»pª'c-^  
ó  
\_³L'(s\,lg@

ÜEœÆð©fUAù=(è²"ÖBI`□`¥,,+OAAî¥ªv^%iû□bf, Žtœ¼íí□2Ü|Ãö->□r2 #©-  
7àI}□°émj~Q%{á-#?5üf□f³; '5²ñò@S; "j□□çvWi=Tzú|E3Ç"j£ç-ÍWÆ&ËÛ~°-¤^□E□Ø=à□8□□q(-, ' < μ à ù ð Á x ~ e 0 í □ Â Ä

4\zÀçL

2;U<d´F□Ž□´ÿfC“□á`□FE□F%Qgë□>€wzq-xüÄ...!S=-ÿ~~fíP·hOzÙ\$g"î¤>ÄvÛ¼~□S@îð□□]□·^¹Jv

çÄP÷G<@«°ËžªÈó=p

kBŠ«□□0^í^à<8¿„XEŒ□.® -CÆ?xU+N...ÝHU cziÿk□Áhg□'ø-ÎX' Û□ó[^¼ánpçâ¿  
`péNgÿ4.´w □ží-ÖöL{í°f□□ü+ìÈ□Á%47^B!□ô...?²□D...Lu□r{` ,AòĐÇ□üx□²T□U½Á½P„□-'·¼5?œ•ôwž`8yÛ  
Dn\*Ls#]=□(“ñî  
©äíìø,...-VhÔ+g□füU/°□â®°ÿ-“□öbÁ{u1pAQ1óçG□¿ÝV□p®

5□IĐj˘...řš□□î<=ôrw÷µ-Á□  
;Nù+ ,N□->|ěÑ  
SÁ□.òT˘□-F˘Á-@ì}□ ððøÛ©³-5í¥□

X<ÿçβ□m□¿□rBø"²ž2□ÉĐè^□øðv}Eó□Y□š>u□□Â-<]ØÆÀ+ü□V}#ÀÑmAÈô□'W\_ô^»ùH0€ÿ¥+P€"ï'øft+/bQ\$Ä¹ç8□á



□t>-β□',U'Ôpíÿ/D×tNñZ^†H5~uM□ûf<sup>a</sup>øYiH□ö^□)8i□ù(EGíÿ□,Âö~¥d]ÿ''



```
%èfÈJ|t:
Vb□ÑfÙâ|™0, (Ê)Õ^ncÕW&&OŠML    â¿QŹKª
endstream
endobj
21 0 obj
4140
endobj
11 0 obj
<</BaseFont/MMJRJM+Helvetica-Oblique/FontDescriptor 10 0 R/Type/Font
/FirstChar 57/LastChar 57/Widths[ 556]
/Encoding/WinAnsiEncoding/Subtype/Type1>>
endobj
13 0 obj
<</BaseFont/SNDABN+Times-Roman/FontDescriptor 12 0 R/Type/Font
/FirstChar 32/LastChar 32/Widths[
250]
/Encoding/WinAnsiEncoding/Subtype/Type1>>
endobj
9 0 obj
<</BaseFont/BCAJUP+Helvetica/FontDescriptor 8 0 R/Type/Font
/FirstChar 32/LastChar 150/Widths[
278 0 0 0 0 889 0 191 333 333 389 0 278 333 278 0
556 556 556 556 556 556 556 556 556 556 0 278 0 0 0 0
0 667 0 722 722 667 611 0 722 278 0 667 0 0 722 778
667 0 722 667 611 722 667 0 0 0 0 0 0 0 0 0
0 556 556 500 556 556 278 556 556 222 0 500 222 833 556 556
556 0 333 500 278 556 500 722 500 500 500 0 0 0 0 0
0 0 0 0 0 0 556 556 0 0 0 0 0 0 0 0
0 0 0 0 0 0 556]
/Encoding/WinAnsiEncoding/Subtype/Type1>>
endobj
10 0 obj
<</Type/FontDescriptor/FontName/MMJRJM+Helvetica-Oblique/FontBBox[0 -23 599 709]/Flags 4
/Ascent 709
/CapHeight 709
/Descent -23
/ItalicAngle 0
/StemV 89
/MissingWidth 278
/CharSet(/nine)/FontFile3 16 0 R>>
endobj
12 0 obj
```

```
<</Type/FontDescriptor/FontName/SNDABN+Times-Roman/FontBBox[0 0 1000 1000]/Flags 5
/Ascent 0
/CapHeight 0
/Descent 0
/ItalicAngle 0
/StemV 0
/AvgWidth 250
/MaxWidth 250
/MissingWidth 250
/CharSet(/space)/FontFile3 18 0 R>>
endobj
8 0 obj
<</Type/FontDescriptor/FontName/BCAJUP+Helvetica/FontBBox[-5 -218 859 741]/Flags 4
/Ascent 741
/CapHeight 741
/Descent -218
/ItalicAngle 0
/StemV 128
/MissingWidth 278
/CharSet(/two/A/y/n/c/three/z/o/d/four/N/C/p/e/five/O/D/f/six/P/E/r/g/seven/F/s/h/eight/R/endash/t/i/nine/S
/H/dagger/u/T/I/daggerdbl/v/k/semicolon/U/w/l/a/V/K/x/quotesingle/m/b/parenleft/parenright/asterisk/space/c
omma/hyphen/period/zero/percent/one)/FontFile3 20 0 R>>
endobj
2 0 obj
<</Producer(GPL Ghostscript 8.15)
/CreationDate(D:20081204100458)
/ModDate(D:20081204100458)
/Title(Microsoft Word - Document1)
/Creator(PScript5.dll Version 5.2.2)
/Author(heu5)>>endobj
xref
0 22
0000000000 65535 f
0000004174 00000 n
0000011250 00000 n
0000004105 00000 n
0000003944 00000 n
0000000015 00000 n
0000003924 00000 n
0000004222 00000 n
0000010797 00000 n
0000009818 00000 n
```

```
0000010335 00000 n
0000009492 00000 n
0000010558 00000 n
0000009658 00000 n
0000004263 00000 n
0000004293 00000 n
0000004345 00000 n
0000004833 00000 n
0000004853 00000 n
0000005225 00000 n
0000005245 00000 n
0000009471 00000 n
trailer
<< /Size 22 /Root 1 0 R /Info 2 0 R
/ID [( ç>T²ÀðVßİç□^...€u)( ç>T²ÀðVßİç□^...€u)]
>>
startxref
11445
%%EOF
```