

of an ELISA test with high sensitivity and, more crucially, specificity for WNV, limits the design of large-scale population serosurvey studies. Urgent efforts are required to address this limitation.

In conclusion, our study indicated seropositivity in the south-central region of Spain. In this way, reporting cases in Spain may be plausible even in areas not at high risk, highlighting the importance of ongoing surveillance and research to manage WNV infection in this region.

### Acknowledgments

We gratefully acknowledge Laura Ruiz Torres and Ismael Zafra Soto for their technical support in sample processing.

This work was supported by Secretaría General de Investigación, Desarrollo e Innovación en Salud (grant no. PI-0287-2019) for grants for the financing of Investigación, Desarrollo e Innovación Biomédica y en Ciencias de la Salud en Andalucía; the Ministerio de Sanidad (grant no. RD12/0017/0012) integrated into the Plan Nacional de I+D+I and co-financed by the ISCIII-Subdirección General de Evaluación and the Fondo Europeo de Desarrollo Regional. A.R.J. is supported by a contract from the Spanish Junta de Andalucía (Nicolas Monardes program, grant no. C1-0001-2023). J.C.G. is supported by the CIBER Consorcio Centro de Investigación Biomédica en Red (grant no. CB21/13/00083), Instituto de Salud Carlos III, Ministerio de Ciencia e Innovación and Unión Europea-NextGenerationEU.

### About the Author

Dr. Frías is a postdoctoral researcher at the Animal Health and Zoonosis Research Group at the University of Cordoba and the Clinical Virology and Zoonoses Group at the Maimonides Biomedical Research Institute of Cordoba. His primary research interests are emerging zoonotic diseases.

### References

1. Kramer LD, Li J, Shi PY. West Nile virus. *Lancet Neurol*. 2007;6:171–81. [https://doi.org/10.1016/S1474-4422\(07\)70030-3](https://doi.org/10.1016/S1474-4422(07)70030-3)
2. Kramer LD, Styler LM, Ebel GD. A global perspective on the epidemiology of West Nile virus. *Annu Rev Entomol*. 2008; 53:61–81. <https://doi.org/10.1146/annurev.ento.53.103106.093258>
3. García San Miguel Rodríguez-Alarcón L, Fernández-Martínez B, Sierra Moros MJ, Vázquez A, Julián Pachés P, García Villacíeros E, et al. Unprecedented increase of West Nile virus neuroinvasive disease, Spain, summer 2020. *Euro Surveill*. 2021;26:19. <https://doi.org/10.2807/1560-7917.ES.2021.26.19.2002010>
4. Ministerio de Agricultura, Pesca y Alimentación. Update on the epidemiological situation of West Nile [cited 2024 May 14]. [https://www.mapa.gob.es/es/ganaderia/temas/sanidad-animal-higiene-ganadera/informefno\\_tcm30-435293.pdf](https://www.mapa.gob.es/es/ganaderia/temas/sanidad-animal-higiene-ganadera/informefno_tcm30-435293.pdf)
5. Durán-Martínez M. Distribución, Abundancia y Composición de la Comunidad de Dípteros Hematófagos Vectores de Enfermedades en Castilla-La Mancha: Riesgos para la Salud Pública y la Sanidad Animal. 2012 [cited 2024 Jan 25]. <https://digital.csic.es/handle/10261/147173>.
6. García-Carrasco JM, Muñoz AR, Olivero J, Segura M, García-Bocanegra I, Real R. West Nile virus in the Iberian Peninsula: using equine cases to identify high-risk areas for humans. *Euro Surveill*. 2023;28:2200844. <https://doi.org/10.2807/1560-7917.ES.2023.28.40.2200844>
7. Casades-Martí L, Cuadrado-Matías R, Peralbo-Moreno A, Baz-Flores S, Fierro Y, Ruiz-Fons F. Insights into the spatiotemporal dynamics of West Nile virus transmission in emerging scenarios. *One Health*. 2023;16:100557. <https://doi.org/10.1016/j.onehlt.2023.100557>
8. Bofill D, Domingo C, Cardeñosa N, Zaragoza J, de Ory F, Mingueu S, et al. Human West Nile virus infection, Catalonia, Spain. *Emerg Infect Dis*. 2006;12:1163–4. <https://doi.org/10.3201/eid1207.060164>
9. Piron M, Plasencia A, Fleta-Soriano E, Martínez A, Martínez JP, Torner N, et al. Low seroprevalence of West Nile virus in blood donors from Catalonia, Spain. *Vector Borne Zoonotic Dis*. 2015;15:1782–4. <https://doi.org/10.1089/vbz.2015.1787>
10. Bernabeu-Wittel M, Ruiz-Pérez M, del Toro MD, Aznar J, Muniaín A, de Ory F, et al. West Nile virus past infections in the general population of Southern Spain. *Enferm Infec Microbiol Clin*. 2007;25:561–5. <https://doi.org/10.1157/13111181>

Address for correspondence: Antonio Rivero-Juárez, Virología Clínica y Zoonosis, Instituto Maimónides de Investigación Biomédica de Córdoba (IMIBIC), Avenida Menedez Pidal, s/n. 14004, Córdoba, Spain; email: arjvet@gmail.com

## Correction: Vol. 29, No. 7

Funding information was missing in Novel Highly Pathogenic Avian Influenza A(H5N1) Clade 2.3.4.4b Virus in Wild Birds, South Korea (S.-h. Lee et al.). The article has been corrected online ([https://wwwnc.cdc.gov/eid/article/29/7/22-1893\\_article](https://wwwnc.cdc.gov/eid/article/29/7/22-1893_article)).

## Correction: Vol. 28, No. 6

An affiliation for the first author was missing in Lyme Disease, Anaplasmosis, and Babesiosis, Atlantic Canada (Z.O. Allehebi et al.). The article has been corrected online ([https://wwwnc.cdc.gov/eid/article/28/6/22-0443\\_article](https://wwwnc.cdc.gov/eid/article/28/6/22-0443_article)).